


1 OF SHEETS SKW-1	FILE:	ISSUE		Title: GALLERY RAIL POST & DECK BRACKET COATING DETAIL  Project: POINT PINOS LIGHTHOUSE	<b>NSA</b> ARCHITECTS  329 Jefferson Street Oakland CA 94607 (415) 578 - 4800 www.nsa-llp.com	
	BY: MD	No.	DATE			DESCRIPTION
	PROJ NO: 19098					
	SCALE: N.T.S.					



STEEL PANELS - PRIME WITH PPG AMERLOCK 2,  
PAINT WITH PPG PSX 700 OR 805. SET PANELS  
IN FULL BED OF SEALANT (TREMCO SPECTREM 2)  
AND DETAIL ALL JOINTS WITH SEALANT, TYP.

SEALANT JOINT - TREMCO SPECTREM 2, TYP.

S.S. FLASHING - MIN. 24GA WET SET IN  
FULL BED OF SEALANT

HDPE OR S.S. SPACER

ALUMINUM DIAMOND PLATE DECK - PRIME WITH  
PPG AMERLOCK 2, PAINT WITH PPG PSX 700 OR 805

CONCRETE LANTERN WALL FRAME -  
FABRIC REINFORCED CIM 1000 TYP.  
OVER SEALANT CANT. (CIM 1000TG)

4" MIN.

CONCRETE DECK

**NSA**  
ARCHITECTS  
Building Envelope Architects

329 Jefferson Street  
Oakland CA 94607  
(415) 578 - 4800  
www.nsa-llp.com

Proj N°: 19098

Date: 19.09.27

By: MD

Scale: N.T.S.

Title:

LANTERN WALL SECTION FLASHING

Project:

POINT PINOS LIGHTHOUSE

Sheet:

SKW-2